

Dynamik medizinischer Parameter bei Anorexia nervosa

Neue Forschungsergebnisse

F. I. Tam, V. Roessner, S. Ehrlich

Literatur

- [1] Tam FIW. Dynamik medizinischer Parameter bei Anorexia nervosa [Habilitationsschrift]. Medizinische Fakultät Carl Gustav Carus der Technischen Universität Dresden; 2024.
- [2] van Eeden AE, van Hoeken D, Hoek HW. Incidence, prevalence and mortality of anorexia nervosa and bulimia nervosa. *Curr Opin Psychiatry*. 2021;34:515–24. doi: 10.1097/YCO.0000000000000739.
- [3] Steinhausen HC, Jensen CM. Time trends in lifetime incidence rates of first-time diagnosed anorexia nervosa and bulimia nervosa across 16 years in a Danish nationwide psychiatric registry study. *Int J Eat Disord*. 2015;48:845–50. doi: 10.1002/eat.22402.
- [4] Solmi M, Radua J, Olivola M, Croce E, Soardo L, Salazar de Pablo G, Il Shin J, Kirkbride JB, Jones P, Kim JH, Kim JY, Carvalho AF, Seeman MV, Correll CU, Fusar-Poli P. Age at onset of mental disorders worldwide: large-scale meta-analysis of 192 epidemiological studies. *Mol Psychiatry*. 2022;27:281–95. doi: 10.1038/s41380-021-01161-7.
- [5] Arcelus J, Mitchell AJ, Wales J, Nielsen S. Mortality rates in patients with anorexia nervosa and other eating disorders. A meta-analysis of 36 studies. *Arch Gen Psychiatry*. 2011;68:724–31. doi: 10.1001/archgenpsychiatry.2011.74.
- [6] Quadflieg N, Naab S, Fichter M, Voderholzer U. Long-Term Outcome and Mortality in Adolescent Girls 8 Years After Treatment for Anorexia Nervosa. *Int J Eat Disord*. 2024;57:2497–503. doi: 10.1002/eat.24299.
- [7] Steinhausen HC. The outcome of anorexia nervosa in the 20th century. *Am J Psychiatry*. 2002;159:1284–93. doi: 10.1176/appi.ajp.159.8.1284.
- [8] Le Grange D. Elusive Etiology of Anorexia Nervosa: Finding Answers in an Integrative Biopsychosocial Approach. *J Am Acad Child Adolesc Psychiatry*. 2016;55:12–3. doi: 10.1016/j.jaac.2015.10.003.
- [9] Bulik CM, Carroll IM, Mehler P. Reframing anorexia nervosa as a metabo-psychiatric disorder. *Trends Endocrinol Metab*. 2021;32:752–61. doi: 10.1016/j.tem.2021.07.010.
- [10] Watson HJ, Yilmaz Z, Thornton LM, Hübel C, Coleman JRI, Gaspar HA, Bryois J, Hinney A, Leppä VM, Mattheisen M, Medland SE, Ripke S, Yao S, Giusti-Rodríguez P, Anorexia Nervosa Genetics Initiative, Hanscombe KB, Purves KL, Eating Disorders Working Group of the Psychiatric Genomics Consortium, Adan RAH, Alfredsson L, Ando T, Andreassen OA, Baker JH, Berrettini WH, Boehm I, Boni C, Perica VB, Buehren K, Burghardt R, Cassina M, Cichon S, Clementi M, Cone RD, Courtet P, Crow S, Crowley JJ, Danner UN, Davis OSP, de Zwaan M, Dedoussis G, Degortes D, DeSocio JE, Dick DM, Dikeos D, Dina C, Dmitrzak-Weglarz M, Docampo E, Duncan LE, Egberts K, Ehrlich S, Escaramís G, Esko T, Estivill X, Farmer A, Favaro A, Fernández-Aranda F, Fichter MM, Fischer K, Föcker M, Foretova L, Forstner AJ, Forzan M, Franklin CS, Gallinger S, Giegling I, Giuranna J, Gonidakis F, Gorwood P, Mayora MG, Guillaume S, Guo Y, Hakonarson H, Hatzikotoulas K, Hauser J, Hebebrand J, Helder SG, Herms S, Herpertz-Dahlmann B, Herzog W, Huckins LM, Hudson JI, Imgart H, Inoko H, Janout V, Jiménez-Murcia S, Julià A, Kalsi G, Kaminská D, Kaprio J, Karhunen L, Karwautz A, Kas MJH, Kennedy JL, Keski-Rahkonen A, Kiezebrink K, Kim YR, Klareskog L, Klump KL, Knudsen GPS, La Via MC, Le Hellard S, Levitan RD, Li D, Lilienfeld L, Lin BD, Lissowska J, Luykx J, Magistretti PJ, Maj M, Mannik K, Marsal S, Marshall CR, Mattingsdal M, McDewitt S, McGuffin P, Metspalu A, Meulenbelt I, Micali N, Mitchell K, Monteleone AM, Monteleone P, Munn-Chernoff MA, Nacmias B, Navratilova M, Ntalla I, O'Toole JK, Ophoff RA, Padyukov L, Palotie A, Pantel J, Papezova H, Pinto D, Rabionet R, Raevuori A, Ramoz N, Reichborn-Kjennerud T, Ricca V, Ripatti S, Ritschel F, Roberts M, Rotondo A, Rujescu D, Rybakowski F, Santonastaso P, Scherag A, Scherer SW, Schmidt U, Schork NJ, Schosser A, Seitz J, Slachтова L, Slagboom PE, Slof-Op 't Landt MCT, Slopian A, Sorbi S, Świątkowska B, Szatkiewicz JP, Tachmazidou I,

- Tenconi E, Tortorella A, Tozzi F, Treasure J, Tsitsika A, Tyszkiewicz-Nwafor M, Tziouvas K, van Elburg AA, van Furth EF, Wagner G, Walton E, Widen E, Zeggini E, Zerwas S, Zipfel S, Bergen AW, Boden JM, Brandt H, Crawford S, Halmi KA, Horwood LJ, Johnson C, Kaplan AS, Kaye WH, Mitchell JE, Olsen CM, Pearson JF, Pedersen NL, Strober M, Werge T, Whiteman DC, Woodside DB, Stuber GD, Gordon S, Grove J, Henders AK, Juréus A, Kirk KM, Larsen JT, Parker R, Petersen L, Jordan J, Kennedy M, Montgomery GW, Wade TD, Birgegård A, Lichtenstein P, Norring C, Landén M, Martin NG, Mortensen PB, Sullivan PF, Breen G, Bulik CM. Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. *Nat Genet.* 2019;51:1207–14. doi: 10.1038/s41588-019-0439-2.
- [11] Güzel Â, Mutlu NL, Molendijk M. COVID-19-related changes in eating disorder pathology, emotional and binge eating and need for care: a systematic review with frequentist and Bayesian meta-analyses. *Eat Weight Disord.* 2023;28:19. doi: 10.1007/s40519-023-01547-2.
- [12] Gyllenberg D, Bastola K, Wan Mohd Yunus WMA, Mishina K, Liukko E, Kääriälä A, Sourander A. Comparison of new psychiatric diagnoses among Finnish children and adolescents before and during the COVID-19 pandemic: A nationwide register-based study. *PLoS Med.* 2023;20:e1004072. doi: 10.1371/journal.pmed.1004072.
- [13] Tam FI, Ochmann R, Marschall J, Leschzinski H, Seidel M, Klink L, Föcker M, Bühren K, Dahmen B, Jaite C, Herpertz-Dahlmann B, Seitz J, Gilsbach S, Correll CU, Müller AE, Hebebrand J, Bell R, Legenbauer T, Holtmann M, Becker K, Weber L, Romanos M, Egberts K, Kaess M, Fleischhaker C, Möhler E, Wessing I, Hagmann D, Hahn F, Thiemann U, Antony G, Gramatke K, Roessner V, Ehrlich S. The impact of the COVID-19 pandemic on administrative eating disorder prevalence in the outpatient sector and on severity of anorexia nervosa. *Eur Child Adolesc Psychiatry.* 2025;34:983–95. doi: 10.1007/s00787-024-02527-2.
- [14] Bernardoni F*, Tam F*, Poitz DM, Hellerhoff I, Arold D, Geisler D, Lemme F, Keeler J, Weidner K, Pariante C, Roessner V, King JA, Ehrlich S. Effect of serum concentrations of IL-6 and TNF- α on brain structure in anorexia nervosa: a combined cross-sectional and longitudinal study. *Neuropsychopharmacology.* 2024;49:1509–17. doi: 10.1038/s41386-024-01836-z. (*geteilte Erstautorenschaft)
- [15] Haines MS. Endocrine complications of anorexia nervosa. *J Eat Disord.* 2023;11:24. doi: 10.1186/s40337-023-00744-9.
- [16] Lucas AR, Melton LJ, Crowson CS, O'Fallon WM. Long-term fracture risk among women with anorexia nervosa: a population-based cohort study. *Mayo Clin Proc.* 1999;74:972–7. doi: 10.4065/74.10.972.
- [17] Riedlinger C, Schmidt G, Weiland A, Stengel A, Giel KE, Zipfel S, Enck P, Mack I. Which Symptoms, Complaints and Complications of the Gastrointestinal Tract Occur in Patients With Eating Disorders? A Systematic Review and Quantitative Analysis. *Front Psychiatry.* 2020;11:195. doi: 10.3389/fpsyt.2020.00195.
- [18] Sachs KV, Harnke B, Mehler PS, Krantz MJ. Cardiovascular complications of anorexia nervosa: A systematic review. *Int J Eat Disord.* 2016;49:238–48. doi: 10.1002/eat.22481.
- [19] Herpertz-Dahlmann B. Treatment of eating disorders in child and adolescent psychiatry. *Curr Opin Psychiatry.* 2017;30:438–45. doi: 10.1097/YCO.0000000000000357.
- [20] Lock J, Le Grange D. *Treatment Manual for Anorexia Nervosa: A Family-Based Approach.* 2. Aufl. New York: Guilford Press; 2015.
- [21] Stewart MP, Baumann O. The Effectiveness of Adolescent-Focused Therapy and Family-Based Therapy for Anorexia Nervosa. *Psychol Rep.* 2024;332941241226687. doi: 10.1177/00332941241226687.
- [22] Monteleone AM, Pellegrino F, Croatto G, Carfagno M, Hilbert A, Treasure J, Wade T, Bulik CM, Zipfel S, Hay P, Schmidt U, Castellini G, Favaro A, Fernandez-Aranda F, Il Shin J, Voderholzer U, Ricca V, Moretti D, Busatta D, Abbate-Daga G, Ciullini F, Cascino G, Monaco F, Correll CU, Solmi M. Treatment of eating disorders: A systematic meta-review of meta-analyses and network meta-analyses. *Neurosci Biobehav Rev.* 2022;142:104857. doi: 10.1016/j.neubio-rev.2022.104857.
- [23] Klinik für Psychiatrie, Psychosomatik und Psychotherapie des Kindes- und Jugendalters, Charité Universitätsmedizin Berlin. Die Familien-Basierte telemedizinische versus Institutionelle Anorexia nervosa Therapie (FIAT)-Studie [Internet]. [zitiert 22. Juli 2025]. Verfügbar unter: <https://fbt-fiat.de/home>
- [24] Han R, Bian Q, Chen H. Effectiveness of olanzapine in the treatment of anorexia nervosa: A systematic review and meta-analysis. *Brain Behav.* 2022;12:e2498. doi: 10.1002/brb3.2498.
- [25] Himmerich H, Kan C, Au K, Treasure J. Pharmacological treatment of eating disorders, comorbid mental health problems, malnutrition and physical health consequences. *Pharmacol Ther.* 2021;217:107667. doi: 10.1016/j.pharmthera.2020.107667.

- [26] Herpertz-Dahlmann B. Intensive Treatments in Adolescent Anorexia Nervosa. *Nutrients*. 2021;13:1265. doi: 10.3390/nu13041265.
- [27] Haas V, Nadler J, Crosby RD, Madden S, Kohn M, Le Grange D, Gonçalves ASO, Hebebrand J, Correll CU. Comparing randomized controlled trials of outpatient family-based or inpatient multimodal treatment followed by outpatient care in youth with anorexia nervosa: Differences in populations, metrics, and outcomes. *Eur Eat Disord Rev*. 2022;30:693–705. doi: 10.1002/erv.2907.
- [28] Bargiacchi A, Clarke J, Paulsen A, Leger J. Refeeding in anorexia nervosa. *Eur J Pediatr*. 2019;178:413–22. doi: 10.1007/s00431-018-3295-7.
- [29] Garber AK, Cheng J, Accurso EC, Adams SH, Buckelew SM, Kapphahn CJ, Kreiter A, Le Grange D, Machen VI, Moscicki AB, Sy A, Wilson L, Golden NH. Short-term Outcomes of the Study of Refeeding to Optimize Inpatient Gains for Patients With Anorexia Nervosa: A Multicenter Randomized Clinical Trial. *JAMA Pediatr*. 2021;175:19–27. doi: 10.1001/jamapediatrics.2020.3359.
- [30] Haas V, Kohn M, Körner T, Cuntz U, Garber AK, Le Grange D, Voderholzer U, Correll CU. Practice-Based Evidence and Clinical Guidance to Support Accelerated Re-Nutrition of Patients With Anorexia Nervosa. *J Am Acad Child Adolesc Psychiatry*. 2021;60:555–61. doi: 10.1016/j.jaac.2020.09.010.
- [31] Matthews K, Hill J, Jeffrey S, Patterson S, Davis A, Ward W, Palmer M, Capra S. A higher-calorie refeeding protocol does not increase adverse outcomes in adult patients with eating disorders. *J Acad Nutr Diet*. 2018;118:1450–63. doi: 10.1016/j.jand.2018.01.023.
- [32] Deutsche Gesellschaft für Psychosomatische Medizin und Ärztliche Psychotherapie (DGPM), Deutsche Gesellschaft für Essstörungen (DGESS), Deutsche Gesellschaft für Psychiatrie und Psychotherapie, Psychosomatik und Nervenheilkunde (DGPPN), Deutsche Gesellschaft für Kinder- und Jugendpsychiatrie, Psychosomatik und Psychotherapie (DGKJP), Deutsches Kollegium für Psychosomatische Medizin (DKPM), Deutsche Gesellschaft für Psychologie (DGPs). S3-Leitlinie Diagnostik und Therapie der Essstörungen Version 2.2 [Internet]. 2018 [zitiert 22. Juli 2025]. Verfügbar unter: <https://register.awmf.org/de/leitlinien/detail/051-026>
- [33] Ehrlich S, Licht L, Kolb T, Hoffmann C, Stender E, Tam FI, Poitz D, Roessner V, Bornstein SR, Perakakis N. Impact of acute anorexia nervosa and of short-/long-term recovery after refeeding on the hormonal profiles of activin A, GDF-15 and follistatins. *Mol Psychiatry*. doi: 10.1038/s41380-025-03245-0.
- [34] Dose A*, Tam FI*, Hellerhoff I, King JA, Boehm I, Gottloeber K, Wahl H, Werner A, Raschke F, Bartnik-Olson B, Lin AP, Akgün K, Roessner V, Linn J, Ehrlich S. Triangulating brain alterations in anorexia nervosa: a multimodal investigation of magnetic resonance spectroscopy, morphometry and blood-based biomarkers. *Transl Psychiatry*. 2023;13:277. doi: 10.1038/s41398-023-02580-6. (*geteilte Erstautorenschaft)
- [35] Tam FI, Gerl MJ, Klose C, Surma MA, King JA, Seidel M, Weidner K, Roessner V, Simons K, Ehrlich S. Adverse Effects of Refeeding on the Plasma Lipidome in Young Individuals With Anorexia Nervosa? *J Am Acad Child Adolesc Psychiatry*. 2021;60:1479–90. doi: 10.1016/j.jaac.2021.02.014.
- [36] Tam FI, Chocholi I, Hellerhoff I, Klopfer M, Weidner K, Roessner V, Mirtschink P, Poitz DM, Ehrlich S. Liver and vitamin B₁₂ parameters in patients with anorexia nervosa before and after short-term weight restoration. *Psychiatry Res*. 2022;314:114673. doi: 10.1016/j.psychres.2022.114673.
- [37] Tam FI, Steding J, Steinhäuser JL, Ritschel F, Gao W, Weidner K, Roessner V, Kirschbaum C, Ehrlich S. Hair endocannabinoid concentrations in individuals with acute and weight-recovered anorexia nervosa. *Prog Neuropsychopharmacol Biol Psychiatry*. 2021;107:110243. doi: 10.1016/j.pnpbp.2021.110243.
- [38] Tam FI, Seidel M, Boehm I, Ritschel F, Bahnsen K, Biemann R, Weidner K, Roessner V, Ehrlich S. Peptide YY₃₋₃₆ concentration in acute- and long-term recovered anorexia nervosa. *Eur J Nutr*. 2020;59:3791–9. doi: 10.1007/s00394-020-02210-7.
- [39] Hebebrand J, Muller TD, Holtkamp K, Herpertz-Dahlmann B. The role of leptin in anorexia nervosa: clinical implications. *Mol Psychiatry*. 2007;12:23–35. doi: 10.1038/sj.mp.4001909.