

Frauen und Männer im Vergleich: Geschlechtsspezifische Aspekte kardiometabolischer Erkrankungen

I. Kopaliani

Literatur

- [1] Fryar, C. D., Ostchega, Y., Hales, C. M., Zhang, G. & Kruszon-Moran, D. Key findings Data from the National Health and Nutrition Examination Survey. Hypertension Prevalence and Control Among Adults: United States 2015–2016 (2015).
- [2] Scuteri, A. et al. Longitudinal perspective on the conundrum of central arterial stiffness, blood pressure, and aging. *Hypertension* 64, 1219–1227 (2014).
- [3] Alpert, M. A., Lavie, C. J., Agrawal, H., Aggarwal, K. B. & Kumar, S. A. Obesity and heart failure: Epidemiology, pathophysiology, clinical manifestations, and management. *Translational Research* 164, 345–356 (2014).
- [4] Liu, J. et al. Impact of abdominal visceral and subcutaneous adipose tissue on cardiometabolic risk factors: the Jackson Heart Study. *J. Clin. Endocrinol. Metab.* 95, 5419–5426 (2010).
- [5] Després, J. P. et al. Race, visceral adipose tissue, plasma lipids, and lipoprotein lipase activity in men and women: the Health, Risk Factors, Exercise Training, and Genetics (HERITAGE) family study. *Arterioscler. Thromb. Vasc. Biol.* 20, 1932–1938 (2000).
- [6] Fox, C. S. et al. Abdominal visceral and subcutaneous adipose tissue compartments: association with metabolic risk factors in the Framingham Heart Study. *Circulation* 116, 39–48 (2007).
- [7] Mauvais-Jarvis, F. Sex differences in metabolic homeostasis, diabetes, and obesity. *Biol. Sex Differ.* 6, (2015).
- [8] Peters, S. A. E., Huxley, R. R. & Woodward, M. Diabetes as risk factor for incident coronary heart disease in women compared with men: a systematic review and meta-analysis of 64 cohorts including 858,507 individuals and 28,203 coronary events. *Diabetologia* 57, 1542–1551 (2014).
- [9] Al-Salameh, A., Chanson, P., Bucher, S., Ringa, V. & Becquemont, L. Cardiovascular Disease in Type 2 Diabetes: A Review of Sex-Related Differences in Predisposition and Prevention. *Mayo Clin. Proc.* 94, 287–308 (2019).
- [10] Juutilainen, A. et al. Gender difference in the impact of type 2 diabetes on coronary heart disease risk. *Diabetes Care* 27, 2898–2904 (2004).
- [11] Lyon, A., Jackson, E. A., Kalyani, R. R., Vaidya, D. & Kim, C. Sex-specific differential in risk of diabetes-related macrovascular outcomes. *Curr. Diab. Rep.* 15, (2015).
- [12] Berger, J. S. et al. Sex differences in mortality following acute coronary syndromes. *JAMA* 302, 874–882 (2009).
- [13] Garcia, M., Mulvagh, S. L., Merz, C. N. B., Buring, J. E. & Manson, J. A. E. Cardiovascular Disease in Women: Clinical Perspectives. *Circ. Res.* 118, 1273–1293 (2016).

- [14] Taqueti, V. R. et al. Excess Cardiovascular Risk in Women Relative to Men Referred for Coronary Angiography Is Associated With Severely Impaired Coronary Flow Reserve, Not Obstructive Disease. *Circulation* 135, 566–577 (2017).
- [15] Schulze, P. C., Drosatos, K. & Goldberg, I. J. Lipid Use and Misuse by the Heart. *Circ. Res.* 118, 1736–1751 (2016).
- [16] Murphy, E., Amanakis, G., Fillmore, N., Parks, R. J. & Sun, J. Sex Differences in Metabolic Cardiomyopathy. *Cardiovasc. Res.* 113, 370–377 (2017).
- [17] Sun, L. Y. et al. MicroRNA-23a mediates mitochondrial compromise in estrogen deficiency-induced concentric remodeling via targeting PGC-1 α . *J. Mol. Cell. Cardiol.* 75, 1–11 (2014).
- [18] Rattanasopa, C., Phungphong, S., Wattanapermpool, J. & Bupha-Intr, T. Significant role of estrogen in maintaining cardiac mitochondrial functions. *Journal of Steroid Biochemistry and Molecular Biology* 147, 1–9 (2015).
- [19] Liu, H., Yanamandala, M., Lee, T. C. & Kim, J. K. Mitochondrial p38 and manganese superoxide dismutase interaction mediated by estrogen in cardiomyocytes. *PLoS One* 9, (2014).
- [20] Diedrich, M. et al. Heart protein expression related to age and sex in mice and humans. *Int. J. Mol. Med.* 20, 865–874 (2007).
- [21] Stirone, C., Duckles, S. P., Krause, D. N. & Procaccio, V. Estrogen increases mitochondrial efficiency and reduces oxidative stress in cerebral blood vessels. *Mol. Pharmacol.* 68, 959–965 (2005).
- [22] Kararigas, G. et al. Sex-dependent regulation of fibrosis and inflammation in human left ventricular remodeling under pressure overload. *Eur. J. Heart Fail.* 16, 1160–1167 (2014).
- [23] Dworatzek, E. et al. Sex-specific regulation of collagen I and III expression by 17 β -Estradiol in cardiac fibroblasts: role of estrogen receptors. *Cardiovasc. Res.* 115, 315–327 (2019).
- [24] Petrov, G. et al. Maladaptive remodeling is associated with impaired survival in women but not in men after aortic valve replacement. *JACC Cardiovasc. Imaging* 7, 1073–1080 (2014).
- [25] Lee, D. S. et al. Relation of disease pathogenesis and risk factors to heart failure with preserved or reduced ejection fraction: insights from the framingham heart study of the national heart, lung, and blood institute. *Circulation* 119, 3070–3077 (2009).
- [26] Riant, E. et al. Estrogens Protect against High-Fat Diet-Induced Insulin Resistance and Glucose Intolerance in Mice. *Endocrinology* 150, 2109–2117 (2009).
- [27] Hevener, A., Reichart, D., Janez, A. & Olefsky, J. Female Rats Do Not Exhibit Free Fatty Acid-Induced Insulin Resistance. *Diabetes* 51, 1907–1912 (2002).
- [28] Izzo, R. et al. Development of Left Ventricular Hypertrophy in Treated Hypertensive Outpatients: The Campania Salute Network. *Hypertension* 69, 136–142 (2017).
- [29] De Simone, G. et al. Sex differences in obesity-related changes in left ventricular morphology: the Strong Heart Study. *J. Hypertens.* 29, 1431–1438 (2011).
- [30] Gerds, E. et al. Gender differences in left ventricular structure and function during antihypertensive treatment: the Losartan Intervention for Endpoint Reduction in Hypertension Study. *Hypertension* 51, 1109–1114 (2008).

- [31] Halland, H. et al. Sex differences in subclinical cardiac disease in overweight and obesity (the FATCOR study). *Nutrition, Metabolism and Cardiovascular Diseases* 28, 1054–1060 (2018).
- [32] de Vries, S. T., Denig, P., Ekhart, C., Mol, P. G. M. & van Puijenbroek, E. P. Sex Differences in Adverse Drug Reactions of Metformin: A Longitudinal Survey Study. *Drug Saf.* 43, 489–495 (2020).
- [33] Schütt, M. et al. Gender-specific Effects of Treatment with Lifestyle, Metformin or Sulfonylurea on Glycemic Control and Body Weight: A German Multicenter Analysis on 9 108 Patients. *Experimental and Clinical Endocrinology and Diabetes* 123, 622–626 (2015).
- [34] Rentzeperi, E., Pegiou, S., Koufakis, T., Grammatiki, M. & Kotsa, K. Sex Differences in Response to Treatment with Glucagon-like Peptide 1 Receptor Agonists: Opportunities for a Tailored Approach to Diabetes and Obesity Care. *Journal of Personalized Medicine* 2022, Vol. 12, Page 454 12, 454 (2022).
- [35] Kautzky-Willer, A., Leutner, M. & Harreiter, J. Sex differences in type 2 diabetes. *Diabetologia* 66, 986–1002 (2023).
- [36] Rådholm, K., Zhou, Z., Clemens, K., Neal, B. & Woodward, M. Effects of sodium-glucose co-transporter-2 inhibitors in type 2 diabetes in women versus men. *Diabetes Obes. Metab.* 22, 263–266 (2020).
- [37] Raparelli, V. et al. Sex Differences in Cardiovascular Effectiveness of Newer Glucose Lowering Drugs Added to Metformin in Type 2 Diabetes Mellitus. *J. Am. Heart Assoc.* 9, (2020).