

Topisches Capsaicin zur Behandlung der Post-Zoster-Neuralgie

Leserbrief zur Falldarstellung im „Ärzteblatt Sachsen“, Heft 4/2026, Seite 22 ff.

Literatur

- [1] Scheike S. Topisches Capsaicin zur Behandlung der Post-Zoster-Neuralgie. Ein Fallbericht. *Ärztebl Sachsen* 2026;27(4):23-27.
- [2] Wang J, Tao R, Jiang Y, Ma Z, Xia L. Risk factors for postherpetic neuralgia: a meta-analysis based on demographic, clinical features, and treatment characteristics. *Front Immunol.* 2025;16:1667364.
- [3] Liang B, Wan Y, Su X, Pan X, Zhang Z, Guo X, Li M. New Findings on Risk Factors for Postherpetic Neuralgia From 2014 to 2024: A Systematic Review and Meta-Analysis. *J Pain Res.* 2025;18:5631-5643.
- [4] Gross GE, Eisert L, Doerr HW, Fickenscher H, Knuf M, Maier P, Maschke M, Müller R, Pleyer U, Schäfer M, Sunderkötter C, Werner RN, Wutzler P, Nast A. S2k guidelines for the diagnosis and treatment of herpes zoster and postherpetic neuralgia. *J Dtsch Dermatol Ges.* 2020;18(1):55-78.
- [5] Patil A, Goldust M, Wollina U. Herpes zoster: A Review of Clinical Manifestations and Management. *Viruses.* 2022;14(2):192.
- [6] Kim J, Kim MK, Choi GJ, Shin HY, Kim BG, Kang H. Pharmacological and non-pharmacological strategies for preventing postherpetic neuralgia: a systematic review and network meta-analysis. *Korean J Pain.* 2021;34(4):509-533.